

AUTHOR INDEX

VOLUME 13 (1971)

- ADLER, I. D., 263
ADMIRAAL, J., 123
AMAN, J., 149
AMIRKHANIAN, J. D., 49
ARLETT, C. F., 59
AVANZI, S., 225
- BENDICH, A. J., 199
BEYER, R. D., 283
BHATTACHARJEE, S. B., 115
BOWLES, C. A., 85
BREWEN, J. G., 383
BRIDGES, B. A., 1
- CATTANACH, B. M., 371
CONNOR, W. G., 393
CORWIN, H. O., 345
COX, B. S., 297
- DE HAAN, P. G., 9
DEKNUDT, GH., 89
DE SERRES, F. J., 276
DONLON, T., 97
- EHLING, U. H., 433
EL-METAINY, A., 337
EPSTEIN, S. S., 263
- FAHMY, O. G., 19
FAHRIG, R., 436
FICSOR, G., 283
FILNER, P., 199
FORTUIN, J. J. H., 131, 137
FOX, M., 403
- GENEROSO, W. M., 171
GENGOZIAN, N., 383
GILLBERG, B. O., 149
GILLIAVOD, N., 274
GOFMAN, J. W., 67
- HOEKSTRA, W. P. M., 9
HOO, S. S., 85
HUFF, S. W., 171
HUNNABLE, E. G., 297
- INNOCENTI, A. M., 225
ISHII, Y., 193
ITO, J., 93
ITO, K., 361
- JANCA, F. C., 283
JOST, E., 49
- KALE, P. G., 233
KAMRA, O. P., 327
KAPLAN, R. W., 185
KIMBALL, R. F., 289
KONDO, S., 193
- LEMONTT, J. F., 311, 319
LÉONARD, A., 89, 274
LIFSCHYTZ, E., 35
LINDEN, G., 89
LIU, M., 289
LÜNING, K. G., 77
- MALLING, H. V., 425
MICHAELIS, A., 215
MINAMORI, S., 361
MINKLER, J. L., 67
MITTLER, S., 287
MOTTERSHEAD, R., 1
MUKHERJEE, P., 115
MÜLLER, D., 377
MYRTLE, M. J., 19
- NICOLOFF, H., 215
NORMAN, A., 97, 393
- OBE, G., 421
OBERMOSER, H., 123
ONG, T., 276
- PIJNACKER, L. P., 251
PILUSO, D., 67
PONS, F. W., 185
POTTER, J., 59
- RAMARAO, G., 263
RIEGER, R., 215
ROE, C. R., 123
RONEN, A., 109
- SALTS, Y., 109
SAN, R. H. C., 279
SCHEID, W., 429
SCHULZ, S., 185
SETLOW, J. K., 289
SHERIDAN, W., 77, 163
SMITH, P., 345
SPIZIZEN, J., 93

STICH, H. F., 279
STORM, P. K., 9
STOUT, S. K., 171
STRASSER, F. F., 377

TAKAGI, M., 337
TANDY, R. K., 67
TANO, S., 337
TOKUNAGA, C., 155
TRAUT, H., 429

VERHOEF, C., 9

WILLIAMS, C. E., 371
WÜRLER, F. E., 353

YAMAGUCHI, H., 337
YOU, K. S., 123

ZIMMER, D. M., 283

SUBJECT INDEX

VOLUME 13 (1971)

- Acridine orange, effect on recovery of X-irradiated bacteria, 115
- Aging, effects of, in *Drosophila* males, on frequency of XXY and XO progeny, 155
- , of seed, in *Triticum durum*, 225
- Air-drying method, for preparing metaphase chromosomes from spermatogonial cells of rat and mouse, 85
- Allele, *recA*⁺-dependent mutagenesis before DNA replication in irradiated *E. coli*, 1
- 2-Aminopurine, neighbour effects in mutation of ochre triplets in T4rII gene, 109
- Aryldialkyltriazenes, in mouse, host-mediated assay, 436
- Aspergillus nidulans*, control of mitotic intragenic recombination and recovery from UV damage, 131, 137
- Asporogenous mutation, following ethyl methanesulphonate treatment in *B. subtilis*, 93
- 8-Azaguanine resistance, by γ -radiation in a Chinese hamster cell line, 59
- Bacillus subtilis*, asporogenous mutation following ethyl methanesulphonate treatment, 93
- , 4-hydroxyaminoquinoline 1-oxide, 4-nitroquinoline 1-oxide and UV-irradiation, 193
- Bacterium paracoli*, DNA macromutant identified as Flavobacterium, lack of immunologic relationship, 123
- Barley, activities of N-alkyl-N'-nitro-N-nitrosoguanidines, 327
- , seeds, dormant, radiation-induced breaks, 337
- 2,5-Bis-(ethyleneimino)-p-benzoquinone, in *V. faba*, 421
- Bone marrow, cells, of male rat, trimethylphosphate and TEPA in, 263
- , Chinese hamster, treated with phenylbutazone and cyclophosphamide, 377
- 5-Bromodeoxyuridine, effect on recovery of X-irradiated bacteria, 115
- 5-Bromouracil, neighbour effects in mutation of ochre triplets in T4rII gene, 109
- Carausius morosus*, effects of X-rays on different meiotic stages of oocytes, 251
- Chromosome, X, of *D. melanogaster*, recombinational patterns at base of, 35
- Culex pipiens*, X-rays and 1,3-propanedioldimethanesulphonate, 49
- Cyclophosphamide, in Chinese hamster bone marrow, 377
- Dark recombination, in yeast, 297
- Di-2-chloroethyl-sulphide, at eu- and heterochromatic loci in *D. melanogaster*, 19
- Diethyl sulphate, in male mice, 89
- 1,4-Di(methanesulphonoxy)butane, in female mice, 171
- Dimethylnitrosamine, interaction with mouse liver microsomes, 425
- Diploids, *uvs*⁺/*uvs*⁺, *uvsD*/*uvsD* and *uvsE*/*uvsE*, in *A. nidulans*, mitotic intragenic recombinants from, 137
- DNA, exogenous, uptake of, by pea seedlings and tobacco cells, 199
- , replication, in irradiated *E. coli*, *recA*⁺-dependent mutagenesis before, 1
- Drosophila melanogaster*, effects of temperature and aging on progeny, 155
- , eggs, inseminated, X-irradiation-induced translocations, 353
- , extrachromosomal element delta in, 361
- , males, crossing-over following X-irradiation, 233
- , monosomic-trisomic individuals, by X-irradiation of immature oocytes, 429
- , mutability at eu- and heterochromatic loci, 19
- , recombinational patterns at base of X-chromosome, 35
- , spermatozoa, failure of magnetism to influence production of X-ray-induced recessive lethals, 287
- , temperature shock-induced mutations at *dumpy* locus, 345
- Egg, *D. melanogaster*, inseminated, X-irradiation-induced translocations, 353
- Escherichia coli*, genetic recombination, 9
- , irradiated, *recA*⁺-dependent mutagenesis before DNA replication, 1
- , neighbour effects in mutation of ochre triplets in T4rII gene, 109
- , X-irradiated, effect on recovery of mutagenic agents, 115
- Ethanol, in *V. faba*, 215
- Ethidium bromide, in male mice, 89
- Ethyl-2-chloroethyl-sulphide, at eu- and heterochromatic loci in *D. melanogaster*, 19
- 2-Ethyleneimino-5,6,7,8-tetrahydronaphthoquinone-1,4, in *V. faba*, 421

- Ethyl methanesulphonate, in *B. subtilis*, 93
 —, in mouse, female, 171
 —, —, male, 89
 —, —, in spermatogonia, 371
 —, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
N-Ethyl-*N'*-nitro-*N*-nitrosoguanidine, in barley, 327
 —, at eu- and heterochromatic loci in *D. melanogaster*, 19
 Extrachromosomal element, delta, in *D. melanogaster*, 361
- Fibroblast, cultured, human, long-term effect of radiation on chromosomes, 67
 Fine-structure analysis, recombinational patterns at base X-chromosome of *D. melanogaster*, 35
Flavobacterium arborescens, total lack of immunologic relationship of DNA macromutant to, 123
 Fractionation, in X-ray treatment of mouse spermatogonia, 163
- Gene, *T4rII*, neighbour effects in mutation of *ochre* triplets in, 109
- Haemophilus influenzae*, exposed to nitrosoguanidine and methyl methanesulphonate, effects of posttreatment, 289
 "Half" mustard gas, at eu- and heterochromatic loci in *D. melanogaster*, 19
 Hamster, Chinese, bone marrow, treated with phenylbutazone and cyclophosphamide, 377
 —, —, γ -radiation, 59
Hordeum distichum, activities of *N*-alkyl-*N'*-nitro-*N*-nitrosoguanidines, 327
 —, seeds, dormant, radiation-induced breaks, 337
 Host-mediated assay, aryldialkyltriazenes in mouse, mitotic gene conversion in *S. cerevisiae*, 436
 —, for detecting mutagens *in vivo*, streptozotocin in rat testes, 283
 Human, fibroblasts, cultured, long-term effect of radiation on chromosomes, 67
 —, leucocytes, unscheduled DNA synthesis, 393
 —, lymphocytes, single-strand breaks by ionizing radiation, 97
 —, xeroderma pigmentosum cells, exposed to 4-nitroquinoline 1-oxide and 4-hydroxyaminoquinoline 1-oxide, 279
 —, X-radiation-induced aberrations, comparison to marmoset leukocyte irradiation, 383
 4-Hydroxyaminoquinoline 1-oxide, differential inactivation of transforming DNA by, 193
 —, in xeroderma pigmentosum cells, 279
 Hydroxylamine, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
 —, in *V. faba*, 215
- ICR-170, in female mice, 171
- 5-Iodo-2'-deoxyuridine, in lymphoma cells of mice, X-ray-induced resistance to, 403
 Irradiation, γ , in Chinese hamster cell line, 59
 —, —, and mitomycin C, synergistic effect of, on embryonic litter size reduction in mice, 433
 —, —, single-strand breaks in dormant barley seeds DNA, 337
 —, Co^{60} , in chromosomes of cultured human fibroblasts, 67
 —, ionizing, in DNA of human lymphocytes, 97
 —, UV, in *B. subtilis*, 193
 —, —, control of recovery from damage in *A. nidulans*, 131, 137
 —, —, followed by dark holding and photoreactivating light, in yeast, 297
 —, —, induced *c* mutations in prophage kappa, 185
 —, —, unscheduled DNA synthesis in human leucocytes, 393
 —, —, in xeroderma pigmentosum cells, 279
 —, UV and γ , in *E. coli*, *recA*⁺-dependent mutagenesis before DNA replication, 1
 —, UV and X, mutability in *S. cerevisiae*, 311, 319
 —, X, in bacteria, effect on recovery of mutagenic agents, 115
 —, —, in *Culex pipiens*, 49
 —, —, in *D. melanogaster*, 233
 —, —, fractionated, in mouse spermatogonia, 163
 —, —, of immature oocytes of *D. melanogaster*, monosomic-trisomic individuals, 429
 —, —, induced sex-linked recessive lethals, failure of influence of magnetism, 287
 —, —, inducing resistance to 5-iodo-2'-deoxyuridine in lymphoma cells, 403
 —, —, in meiotic stages of *Carausius morosus* oocytes, 251
 —, —, in mouse, changes in sex proportion, 77
 —, —, translocations in inseminated *D. melanogaster* eggs, 353
 —, X and γ , human and marmoset leukocytes, 383
 —, X and UV, sensitivity in *E. coli*, 9
 Isopropyl methanesulphonate, in female mice, 171
 —, human, and marmoset, X-irradiation, 383
 —, —, unscheduled DNA synthesis, 393
- Litter size, embryonic, reduction in mice, synergistic effect of mitomycin C and radiation on, 433
 Liver, microsomes, mouse, interaction with dimethylnitrosamine, 425
 Lymphocytes, human, single-strand breaks by ionizing radiation, 97
 —, unscheduled DNA synthesis, 393
 Lymphoma, cells, of mouse, X-ray-induced resistance to 5-iodo-2'-deoxyuridine in, 403
- Macromutant, DNA, identified as *Flavobacterium*, total lack of immunologic relationship, 123

- Magnetism, failure to influence X-ray-induced sex-linked recessive lethals, 287
- Maleic hydrazide, in *V. faba*, 215
- Marmoset, leukocytes, X-irradiation, 383
- Meiosis, chromosome rearrangement in, in male mice given chemical mutagens, failure to detect, 89
- Meiotic stages, of oocytes of *Carausius morosus*, effects of X-rays on, 251
- Metaphase, chromosomes in, from spermatogonial cells of rat and mouse, an air-drying method for preparing, 85
- Method, air-drying, for preparing metaphase chromosomes from spermatogonial cells of rat and mouse, 85
- Methyl methanesulphonate, in female mice, 171
- , in *H. influenzae*, effects of posttreatment, 289
- N*-Methyl-*N'*-nitro-*N*-nitrosoguanidine, in barley, 327
- , in *E. coli*, 9
- , at eu- and heterochromatic loci in *D. melanogaster*, 19
- , in female mice, 171
- , in *H. influenzae*, effects of posttreatment, 289
- , in male mice, 89
- , in xeroderma pigmentosum cells, 279
- Microsomes, mouse, interaction with dimethylnitrosamine, 425
- Mitomycin C, in mouse spermatogonia, 274
- , and radiation, synergistic effect of, on embryonic litter size reduction in mice, 433
- Mitotic intragenic recombination, control in *A. nidulans*, 131, 137
- Monosomic-trisomic individuals, in *D. melanogaster*, by X-irradiation of immature oocytes, 429
- Mosquito, *Culex pipiens*, X-rays and 1,3-propanedioldimethanesulphonate, 49
- Mouse, air-drying method for preparing metaphase chromosomes from spermatogonial cells, 85
- , aryldialkyltriazenes, host-mediated assay, 436
- , changes in sex proportion, 77
- , effects of alkylating chemicals on reproductive capacity, 171
- , fractionated X-ray treatment of spermatogonia, 163
- , liver microsomes, interaction with dimethylnitrosamine, 425
- , male, given chemical mutagens, failure to detect meiotic chromosome rearrangement, 89
- , mitomycin C in spermatogonia, 274
- , spermatogonia, ethyl methanesulphonate and triethylenemelamine, 371
- , synergistic effect of mitomycin C and radiation on embryonic litter size reduction, 433
- , X-ray-induced resistance to 5-iodo-2'-deoxyuridine in lymphoma cells, 403
- Mustard gas, at eu- and heterochromatic loci in *D. melanogaster*, 19
- Mutagen, acridine orange, effect on recovery of X-irradiated bacteria, 115
- , 2-aminopurine, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
- , aryldialkyltriazenes, in mouse, host-mediated assay, 436
- , 2,5-bis-(ethyleneimino)-*p*-benzoquinone, in *V. faba*, 421
- , 5-bromodeoxyuridine, effect on recovery of X-irradiated bacteria, 115
- , 5-bromouracil, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
- , cyclophosphamide, in Chinese hamster bone marrow, 377
- , di-2-chloroethyl-sulphide, at eu- and heterochromatic loci in *D. melanogaster*, 19
- , diethyl sulphate, in male mice, 89
- , 1,4-di(methanesulphonoxy)butane, in female mice, 171
- , dimethylnitrosamine, interaction with mouse liver microsomes, 425
- , ethidium bromide, in male mice, 89
- , ethyl-2-chloroethyl-sulphide, at eu- and heterochromatic loci in *D. melanogaster*, 19
- , 2-ethyleneimino-5,6,7,8-tetrahydronaphthoquinone-1,4, in *V. faba*, 421
- , ethyl methanesulphonate, in *B. subtilis*, 93
- , —, in female mice, 171
- , —, in male mice, 89
- , —, in mouse spermatogonia, 371
- , —, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
- , *N*-ethyl-*N'*-nitro-*N*-nitrosoguanidine, at eu- and heterochromatic loci in *D. melanogaster*, 19
- , —, in higher plants, 327
- , "half" mustard gas, at eu- and heterochromatic loci in *D. melanogaster*, 19
- , 4-hydroxyaminoquinoline 1-oxide, differential inactivation of transforming DNA by, 193
- , —, in xeroderma pigmentosum cells, 279
- , hydroxylamine, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
- , —, in *V. faba*, 215
- , ICR-170, in female mice, 171
- , 5-iodo-2'-deoxyuridine, in lymphoma cells of mice, X-ray-induced resistance to, 403
- , isopropyl methanesulphonate, in female mice, 171
- , maleic hydrazide, in *V. faba*, 215
- , methyl methanesulphonate, in female mice, 171
- , —, in *H. influenzae*, effects of posttreatment, 289
- , *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine, in *E. coli*, 9
- , —, at eu- and heterochromatic loci in *D. melanogaster*, 19
- , —, in female mice, 171
- , —, in higher plants, 327
- , —, in *H. influenzae*, effects of posttreatment, 289
- , —, in male mice, 89
- , —, in xeroderma pigmentosum cells, 279

- Mutagen, *N*-methyl-*N'*-nitro-*N*-nitrosoguanidine (*continued*)
- , mitomycin C, in mouse spermatogonia, 274
 - , —, and radiation, synergistic effect of, on embryonic litter size reduction in mice, 433
 - , mustard gas, at eu- and heterochromatic loci in *D. melanogaster*, 19
 - , Myleran, in female mice, 171
 - , 4-nitroquinoline 1-oxide, in *B. subtilis*, 193
 - , —, in xeroderma pigmentosum cells, 279
 - , nitrous acid, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
 - , optical brighteners, petite mutants in yeast, 149
 - , phenylbutazone, in Chinese hamster bone marrow, 377
 - , 1-phenyl-3,3-dimethyltriazene, in mouse, host-mediated assay, 436
 - , —, in *N. crassa*, 276
 - , 1-phenyl-3-monomethyltriazene, in *N. crassa*, 276
 - , 1,3-propanedioldimethanesulphonate, in *Culex pipiens*, 49
 - , *n*-propyl methanesulphonate, in female mice, 171
 - , *N*-propyl-*N'*-nitro-*N*-nitrosoguanidine, in barley, 327
 - , 1-(pyridyl-3)-3,3-dimethyltriazene, in mouse, host-mediated assay, 436
 - , 1-(pyridyl-3-*N*-oxide)-3,3-dimethyltriazene, in mouse, host-mediated assay, 436
 - , streptozotocin, in rat testes, 283
 - , 2,3,5,6-tetra-(ethyleneimino)-*p*-benzoquinone, in *V. faba*, 421
 - , Trenimon, in *V. faba*, 421
 - , 2,3,5-tri-(ethyleneimino)-*p*-benzoquinone, in *V. faba*, 421
 - , triethylenemelamine, in female mice, 171
 - , —, in mouse spermatogonia, 371
 - , trimethylphosphate, in bone marrow cells of male rat, 263
 - , Tris[2-methyl-1-aziridinyl]phosphine oxide, in bone marrow cells of male rat, 263
- Mutant, M1975, of *B. paracoli*, lack of immunologic relationship with *F. arborescens*, 123
- , petite, in yeast by optical brighteners, 149
 - , *uvsD* and *uvsE*, in *A. nidulans*, photoreactivation of UV damage, 131
- Myleran, in female mice, 171
- Neurospora crassa*, 1-phenyl-3,3-dimethyltriazene and 1-phenyl-3-monomethyltriazene, 276
- 4-Nitroquinoline 1-oxide, in *B. subtilis*, 193
- , in xeroderma pigmentosum cells, 279
- Nitrous acid, neighbour effects in mutation of *ochre* triplets in *T4rII* gene, 109
- Oocytes, of *Carausius morosus*, effects of X-rays on different meiotic stages of, 251
- , immature, of *D. melanogaster*, X-irradiated, production of monosomic-trisomic individuals, 429
- Optical brighteners, petite mutants in yeast, 149
- Parthenogenetic stick insect, *Carausius morosus*, X-irradiation of oocytes, 251
- Pea, seedlings, uptake of exogenous DNA by, 199
- Peritoneal cavity, rat, streptozotocin treatment, 283
- Phenylbutazone, in Chinese hamster bone marrow, 377
- 1-Phenyl-3,3-dimethyltriazene, in mouse, host-mediated assay, 436
- , in *N. crassa*, 276
- 1-Phenyl-3-monomethyltriazene, in *N. crassa*, 276
- Photoreactivating light, post-UV effects of, in yeast, 297
- Photoreactivation, of UV damage in *uvsD* and *uvsE* mutants in *A. nidulans*, 131
- Pisum sativum*, seedlings, uptake of exogenous DNA by, 199
- Progeny, *XXY* and *XO*, of *D. melanogaster*, effects of temperature and aging on, 155
- 1,3-Propanedioldimethanesulphonate, in *Culex pipiens*, 49
- Prophage kappa, phenotypic delay of expression of UV-induced *c* mutations, 185
- n*-Propyl methanesulphonate, in female mice, 171
- N*-Propyl-*N'*-nitro-*N*-nitrosoguanidine, in higher plants, 327
- Pseudomonas aeruginosa*, DNA, uptake of, by pea seedlings and tobacco cells, 199
- 1-(Pyridyl-3)-3,3-dimethyltriazene, in mouse, host-mediated assay, 436
- 1-(Pyridyl-3-*N*-oxide)-3,3-dimethyltriazene, in mouse, host-mediated assay, 436
- Rat, air-drying method for preparing metaphase chromosomes from spermatogonial cells, 85
- , male, trimethylphosphate and TEPA in bone marrow cells, 263
 - , testes, streptozotocin treatment, 283
- Reproductive capacity, of adult female mice, treated with alkylating chemicals, 171
- Saccharomyces cerevisiae*, dark recombination, 297
- , host-mediated assay, arylalkyltriazenes in mouse, 436
 - , petite mutants induced by optical brighteners, 149
 - , UV mutability in, 311, 319
- Saguinus fuscicollis*, X-irradiation, 383
- Salmonella typhimurium*, indicator organism for interaction of dimethylnitrosamine with mouse liver microsomes, 425
- , organ-specific host-mediated microbial assay for detecting chemical mutagens *in vivo*, 283
- Seed, aging, and chromosome breakage, in *Triticum durum*, 225
- Seedling, pea, uptake of exogenous DNA by, 199

- Serratia marcescens*, phenotypic delay of expression of UV-induced *c* mutations in prophage kappa, 185
—, proportion, changes in, unacceptable way to estimate sex-linked recessive lethals by, 77
"Silent" repair, genetic control of dark recombination in yeast, 297
Spermatogonia, cells, of rat and mouse, an air-drying method for preparing metaphase chromosomes from, 85
—, mouse, effects of mitomycin C, 274
—, —, ethyl methanesulphonate and triethylenemelamine, 371
—, —, fractionated X-ray treatment, 163
Spermatozoa, failure of magnetism to influence production of X-ray-induced recessive lethals, 287
Streptozotocin, in rat testes, 283

Temperature, effects of, in *Drosophila* males, on frequency of *XXY* and *XO* progeny, 155
Temperature shock, inducing specific visible mutations at *dumpy* locus of *D. melanogaster*, 345
Testes, rat, streptozotocin treatment, 283
2,3,5,6-Tetra-(ethyleneimino)-*p*-benzoquinone, in *V. faba*, 421

Tobacco, cells, uptake of exogenous DNA by, 199
Trenimon, in *V. faba*, 421
2,3,5-Tri-(ethyleneimino)-*p*-benzoquinone, in *V. faba*, 421
Triethylenemelamine, in female mice, 171
—, in mouse spermatogonia, 371
Trimethylphosphate, in bone marrow cells of male rat, 263
Triplet, *ochre*, in *T4rII* gene, neighbour effects in mutation of, 109
Tris[2-methyl-1-aziridinyl]phosphine oxide, in bone marrow cells of male rat, 263
Triticum durum, seed aging and chromosome breakage, 225

Vicia faba, action of ethyleneimines on chromosomes, 421
—, hydroxylamine in, 215

Xeroderma pigmentosum, cells, exposed to 4-nitroquinoline 1-oxide and 4-hydroxyaminoquinoline 1-oxide, 279

Yeast, dark recombination, 297
—, petite mutants induced by optical brighteners, 149
—, UV mutability in, 311, 319